



Reduction of Oil Shale Losses

Ingo Valgma, Vivika Väizene, Margit Kolats, Veiko Karu, Jüri-Rivaldo Pastarus,
Tiit Rahe, Riho Iskül

Department of Mining, Tallinn University of Technology, Estonia
ingo.valgma@ttu.ee, vivika.vaizene@ttu.ee, margit.kolats@ttu.ee, veiko.karu@ttu.ee, juri-
rivaldo.pastarus@ttu.ee, tiit.rahe@ttu.ee, riho.iskyl@knc.ee

Abstract. Oil shale utilisation losses reach 70% in some cases. These are closely related to legislation, backfilling and waste rock usage. Much smaller sections include production of oil, electricity and chemicals in which most of the research and development is performed today. Current urgent topics for investigating, testing and developing of oil shale mining related questions are backfilling, mechanical extracting of shale, fine separation, selective separation and optimised drilling and blasting. Reducing oil shale losses will be more actual in the future, because the depth of mining increases and the taxes for resource and pollutants are increasing as well.

Keywords – oil shale, losses, mining, extraction.

I INTRODUCTION

Oil shale utilisation losses reach 70% in some cases. These are closely related to legislation, backfilling and waste rock usage [9]. Much smaller sections include production of oil, electricity and chemicals in which most of the research and development is performed today. Current urgent topics for investigating, testing and developing of oil shale mining related questions are backfilling, mechanical extracting of shale, fine separation, selective separation and optimised drilling and blasting [43].

Mining related waste is mainly solid waste from separation and processing, operating solid waste from overburden removal and drifting, liquid waste from dewatering, processing and washing processes [13]. Mining losses include tonnage, mining waste water, mining influenced water, surface water, soil water, groundwater and mining water, mining influenced land and ground layers [17]. Origin of mining waste is separation waste from Heavy Media Separation (HMS), processing waste, crushing and screening waste [15].

The main usage of solid mining waste is filling material, construction material and cementing material [44][45]. Liquid waste can be used as heat carrier or as source for kinetic energy of water or for industrial usage. Waste as used land is used mainly as space for depositing, construction and recreation [27][28]. The principal direction of developing mining technology is filling the mined area. This provides control over majority of environmental effects [16]. Filling the workings decreases the loss of resources and land subsidence, and at the same time provides usage for stockpiling. Filling the spoils of surface mine decreases dewatering; harmless waste can be used for filling surface mines and in this manner offer new building land [48]. The methods are: mapping the modelling criteria, indicators and processes of the mined areas; experimenting the possibilities of application, compatibility and results of mining

software; applying laboratory experiments and fieldwork in modelling; creating models for blanket deposits; applying seismological methods for developing theory for collapse risk [10]. The key question of current study is related to resource wastage, if it is possible to decrease resource wastage or has it reached its limits.

II Methods

Series of analytical and testing methods have been applied in current study **Error! Reference source not found.**

Beginning from resource analyses and followed by tests of extracting processes have been performed [20][31]: selective oil shale seam blasting, longwall mining, high selective surface mining, selective extraction by mechanical shovel, bulldozer ripper and hydraulic excavator ripping in several oil shale mining fields [18]. Separating tests included fine separation, dry separation and jigging.

Resource analyses and availability of resources are crucial part of the study influencing the base of the industry [22].

Although based on quality parameters oil shale resource could be evaluated as economically mineable resource [21], some resource is lost by geological dislocations and nature protection zones [14]. According to the Estonian Nature Protection Law it is prohibited to mine oil shale on nature protection zones. It is not specified how deep in the ground the law applies [23]. For example south-western part resources of Estonia oil shale mine may be estimated as not mineable resources because of Selisoo mire above the mine.

There is not enough adequate information about oil shale processing or extracting losses available. Official data from mining companies are kept in secret and will not be public. Only overall losses and changes of the mineral reserves of the deposits can be seen in official balance of mineral resources in the Environmental Register. The authorized processors of

the Environmental Register are the Ministry of the Environment and Estonian Land Board. This part of the register consists of mineral reserves of the deposit, mined amounts of the mineral reserves and changes of the mineral reserves of the deposits [26].

Overall losses are higher in underground mines because of roof supporting pillars and it grows with depth increase [29][30]. Deepest oil shale mine

Estonia has up to 30% overall losses (Fig. 1, Fig. 2, Fig. 3). At the same time largest losses are in the largest mine. In the future this trend continues [11][12]. Mining depth and amount of losses is related to the stability of the overburden rocks [5][6][7]. Losses and stability are influencing each other if backfilling is not used [19]. At the same time monitoring systems have developed rapidly [24][25].




Fig. 1 Annual oil shale production in Estonia, thousand tonnes per year




Fig. 2 Overall losses in oil shale mines during last five years [Environmental Register]




Fig. 3 Amount of losses depending on mining depth

A. Processes

The main processes affecting resource usage are resource management, extracting, crushing, separating and processing.

B. Extracting

Several extraction technologies have been used for mining oil shale during last 96 years [42]. In first years high selective hand mining was used due to absence of machines. The main problem related to losses and dilution was the rock that contained both oil shale and limestone what could not be separated by hand [3].

Later, when drilling and blasting was applied, only sorting or selective blasting influenced losses and dilution. Both full seam and selective seam blasting was used. In case of underground mining full seam and partial seam blasting was used. In years 1970 to 2000 partial seam longwall mining was used [32][33][34][35].

Due to weak limestone layers on top of underground room and pillar mining sections in Estonia mine, dilution is high and not only full seam, but in some cases 1.3 times higher seam is extracted [35].

Also surface miners have been used for selective mining of the oil shale [46][47]. For analysing possibilities of selective mining, range of tests and theoretical studies have been carried out during last decades [2]. Tests of high selective mining have been carried out in Estonia in limestone, dolostone and oil shale mining areas [42]. As well selective extraction has been performed by mechanical shovel, bulldozer ripper and hydraulic excavator ripping in several oil shale mining fields [38][39].

Several separation technologies have been used for processing the run of mine [40][41]. Due to the complex chain of mining processes optimisation is performed in some cases for finding optimal solution between losses, dilution, yield and other factors [4]. At the same time extraction technology has not been well analysed [36][37].

Surface miners productivity result show great variation in different oil shale layers and in other minerals layers. Surface miner Vermeer T1255 studies

in 2012 show that surface miner productivity in F3 layer is 736 t/h and in C/D interlayer 591 t/h. The cutting speed in F3 layer is 0,12 m/s and in C/D interlayer 0,05 m/s.

Surface miner Wirtgen 2500SM studies in 2009 show that surface miner productivity in limestone interlayer H/J layer is 594 t/h and cutting speed is 0,06 m/s. Initial studies show that 80% of material pass through 25mm mesh and 30% through 3mm mesh (Fig. 4). Larger pieces are required for vertical oil generators. Solid heat carrier could use such material more easily.




Fig. 4 Mechanical sieving analyses

C. Crushing

Initial tests with bucket crushers have been performed, showing promising dry separation results.

D. Separating

Fine separation machine, with the aim to separate fines from the separation pulp before it goes to sedimentation pond (Fig. 5).



Fig. 5 Fine separation cyclones

The fine separation machine is a hydro cyclone, what could process 50 m³ in hour. The testing was done in two ways, first was with coagulant and the second one without it. Coagulant is additive what combines fine particles together and it should increase the amount of material. Fine particles were divided into the size 0-8 mm and 0-5 mm.

Fine particles with size 0-8 mm productivity were 162 kg/h and 0-5 mm 29 kg/h. Hydro cyclone productivity was 191 kg/h. Also was tested separated fine particles moisture, calorific value, ash value and

were done mechanical sieving (Fig. 4). Initial tests showed that it is not possible to concentrate higher calorific value with coagulant.




Fig. 6 Mechanical sieving results

III CONCLUSION

Reducing oil shale losses will be more actual in the future, because the depth of mining increases and the taxes for resource and pollutants are increasing as well. In several cases selectivity is the key solution for extraction, separation or processing. Fine separations has not shown good results for oil shale, but limestone fine separation, granulating or jigging should still be analysed with more options. In addition dry separation with sizers, drum crushers and roll-crusher sieves should be considered.

IV ACKNOWLEDGMENTS

This research is related to the project MIN-NOVATION – <http://www.min-novation.eu>; ETF8123 “Backfilling and waste management in Estonian oil shale industry” – <http://mi.ttu.ee/ETF8123>; Energy Technology Program Sustainable and environmentally acceptable Oil shale mining No. 3.2.0501.11-0025 - mi.ttu.ee/etp and Doctoral School of Energy and Geotechnology II, interdisciplinary research group “Sustainable mining” DAR8130/1.2.0401.09-0082 – mi.ttu.ee/doktorikool

V REFERENCES

[1] "Breaking New Ground" – The MMSD Mining, Minerals and Sustainable Development Project Final Report. 2002
 [2] Adamson, A.; Jostov, M.; Kattel, T. (2006). Perspectives for the Mining of Oil Shale and Limestone with Surface Miner in Estonia. In: Proceedings. 8th International Symposium. Continuous Surface Mining: 8th International Symposium. Continuous Surface Mining, Aachen, Germany, 24...27.09.2006. Aachen, Germany: Verlagshaus Mainz GmbH Aachen, 2006.

[3] Valgma, C. Buhrow, 2006, Taiex workshop on EU Legalisation as it affects mining, The Modelling of Oil Shale Mining Development and its Influence to the Environment, Tallinn
 [4] Karu, V. (2009). Modelling oil shale mining space and processes. Valgma, I. (Toim.). Resource Reproducing, Low-wasted and Environmentally Protecting Technologies of Development of the Earth Interior (1 pp.). Tallinn: Department of Mining TUT; Russian University of People Friendship
 [5] Karu, V. (2009). Spatial planning on under mined areas. Valgma, I. (Toim.). Resource Reproducing, Low-wasted and Environmentally Protecting Technologies of Development of the Earth Interior (3 pp.). Tallinn: Department of Mining TUT; Russian University of People Friendship
 [6] Karu, V. (2010). Stability problems in undermined areas. Lahtmets, R. (Toim.). 8th International Symposium "Topical problems in the field of electrical and power engineering. Doctoral school of energy and geotechnology". II : Pärnu, Estonia, 11.01.-16.01.2010 (134 - 137). Tallinn: Elektrijam
 [7] Karu, V. (2012). Dependence of land stability on applied mining technology. 11th International Symposium "Topical Problems in the Field of Electrical and Power Engineering", Doctoral Scholl of Energy and Geotechnology, Pärnu, Estonia, 16-21.01.2012 (252 - 255).Elektrijam
 [8] Karu, V. (2012). Potential Usage of Underground Mined Areas in Estonian Oil Shale Deposit. Tallinn University of Technology Press
 [9] Karu, V.; Valgma, I.; Rahe, T. (2013). Mining Waste Reduction Methods. Zakis, J. (Toim.). 13th International Symposium "Topical Problems in the Field of Electrical and Power Engineering", Doctoral Scholl of Energy and Geotechnology II, Pärnu, Estonia, 14-19.01.2013 (278 - 280). Tallinn: Elektrijam
 [10] Karu, V.; Valgma, V.; Västriik, A. (2007). Multi criterial modelling of oil shale mining fields. Mining and the Environment 2007 (225). Baia Mare: Freiberg TU
 [11] Karu, V.; Västriik, A.; Anepaio, A.; Väizene, V.; Adamson, A.; Valgma, I. (2008). Future of oil shale mining technology in Estonia. Oil Shale, 25(2S), 125 - 134.
 [12] Karu, V.; Västriik, A.; Valgma, I. (2008). Application of modelling tools in Estonian oil shale mining area . Oil Shale, 25(2S), 134 - 144.

- [13] King, R. Peter, Modeling and Simulation of Mineral Processing Systems, Butterworth-Heinemann; 1st edition, 2001
- [14] Koitmetts, K.; Reinsalu, E.; Valgma, I (2003). Precision of oil shale energy rating and oil shale resources. *Oil Shale*, 20(1), 15 - 24.
- [15] Mining waste website. Department of Mining of TUT2011: <http://mi.ttu.ee/miningwaste>
- [16] Olsen, DK (Olsen, David K.); Hartstein, A (Hartstein, Arthur); Alleman, DR (Alleman, David R.). A Review of Activities To Address the Environmental Impacts of Oil Shale Development. Source: OIL SHALE: A SOLUTION TO THE LIQUID FUEL DILEMMA Book Series: ACS Symposium Series Volume: 1032 Pages: 249-259 Published: 2009
- [17] Pensa, M.; Sellin, A.; Luud, A.; Valgma, I. (2004). An analysis of vegetation restoration on opencast oil shale mines in Estonia. *Restoration Ecology*, 12, 200 - 206.
- [18] Pozin, V.; Adamson, A.; Andreyev, V. (1998). Breakage of oil shale by mining : [revised summary of the monograph by V.Pozin, A.Adamson and V.Andreyev, Moskva : Nauka, 1984, 142 p. (in Russian)]. *Oil Shale*, 15(2), 186 - 205.
- [19] Reinsalu, E.; Valgma, I (2003). Geotechnical processes in closed oil shale mines. *Oil Shale*, 20(3), 398 - 403.
- [20] Reinsalu, E.; Valgma, I. (2007). Oil Shale Resources for Oil Production. *Oil Shale*, 24, 9 - 14.
- [21] Sabanov, S.; Reinsalu, E.; Valgma, I.; Karu, V. (2009). Mines Production Quality Control in Baltic Oil Shale Deposits. Valgma, I. Resource Reproducing, Low-wasted and Environmentally Protecting Technologies of Development of the Earth Interior (1 pp.). Tallinn: Department of Mining TUT; Russian University of People Friendship
- [22] Sabanov, S.; Karu, V.; Reinsalu, E.; Valgma, I (2009). Production quality control in mines of Baltic oil shale deposits. Tallinn Technical University, 2009.
- [23] Sepp, Kalev (2010). Nature Conservation and sustainable mining. *Oil Shale*, 27(1), 93 - 98.
- [24] Soosalu, H.; Valgma, I. (2009). Detection of mine collapses with seismic methods- a case study from Estonia. Valgma, I. Resource Reproducing, Low-wasted and Environmentally Protecting Technologies of Development of the Earth Interior. Tallinn: Department of Mining TUT; Russian University of People Friendship
- [25] Soosalu, H.; Valgma, I.; Sokman, K (2009). Seismic detection and on-site survey of mine collapses in Estonia. Nordic Seismic Seminar, Stockholm, 14.-16.10.2009. , 2009.
- [26] Tammeoja, T.; Loko, M.; Valgma, I.; Karu, V.; Tohver, T. (2007). Oil shale reserves in Estonia. In: 4th International Symposium "Topical Problems in the Field of Electrical and Power Engineering" : Doctoral School of Energy and Geotechnology: 4th International Symposium "Topical Problems in the Field of Electrical and Power Engineering", Kuressaare, Estonia, 15.-.20.01.2007. (Toim.) Lahtmets, R.. Tallinn: Tallinn University of Technology Faculty of Power Engineering, 2007, 94 - 95.
- [27] Tohver, T. Utilization of Waste Rock from Oil Shale Mining. PhD dissertation. TTU Press
- [28] Väizene, V. Backfilling technologies for oil shale mines. Valgma, I. (Ed.). Resource Reproducing, Low-wasted and Environmentally Protecting Technologies of Development of the Earth Interior (1 pp.). Tallinn: Department of Mining TUT; Russian University of People Friendship. 2009
- [29] Valgma, I (1998). An evaluation of technological overburden thickness limit of oil shale open casts by using draglines. *Oil Shale*, 15(2), 134 - 146.
- [30] Valgma, I (2000). Post-stripping processes and the landscape of mined areas in Estonian oil shale open casts. *Oil Shale*, 17(2), 201 - 212.
- [31] Valgma, I (2003). Estonian oil shale resources calculated by GIS method. *Oil Shale*, 20(3), 404 - 411.
- [32] Valgma, I. (2001). Map of oil shale mining history in Estonia. In: Proceedings II. 5th Mining History Congress, Greece, Milos Conference Centre- George Eliopoulos, 2001: 5th Mining History Congress, Greece, Milos Conference Centre-George Eliopoulos, 2001. Agricola, 2001, 193 - 198.
- [33] Valgma, I. (2002). Geographical Information System for Oil Shale Mining - MGIS. (Doktoritöö, TallinnaTehnikaülikool) Tallinn: Tallinn Technical University Press
- [34] Valgma, I. (2009). Dependence of the mining advance rate on the mining technologies and their usage criteria. Valgma, I. Resource Reproducing, Low-wasted and Environmentally Protecting Technologies of Development of the Earth Interior. Tallinn: Department of Mining TUT; Russian University of People Friendship
- [35] Valgma, I. (2009). Oil Shale mining-related research in Estonia. *Oil Shale*, 26(4), 445 - 150.
- [36] Valgma, I.; Karu, V. (2006). Mining in Estonia - a Development Towards the EU. In: EU Legislation as it Affects Mining : Proceedengs of TAIEX Workshop in Tallinn: INFRA 22944 TAIEX Workshop, Tallinn, 30.11.-02.12.2006. (Toim.) Valgma, I.; Buhrow, Chr.. Tallinn: Tallinna Tehnikaülikool, 2006, 98 - 102.
- [37] Valgma, I.; Karu, V.; Anepaio, A.; Väizene, V. (2007). Increasing oil shale quality for meeting EU environmental requirements. *Mining and the Environment 2007* (195 - 205). Baia Mare: Freiberg TU
- [38] Valgma, I.; Karu, V.; Västriik, A.; Väizene, V. (2007). Future of oil shale mining. In: Georesources and public policy: research, management, environment : abstracts: 15th Meeting of the Association of European Geological Societies, Tallinn (Estonia), 16-20 September 2007. (Toim.) Hints, O.; Kaljo, S.. Tallinn: Eesti Geoloogia Selts, 2007, 81.
- [39] Valgma, I.; Karu, V.; Viil, A.; Lohk, M. (2007). Oil shale mining developments in Estonia as the bases for sustainable power industry. In: 4th International Symposium "Topical Problems in the Field of Electrical and Power Engineering" : Doctoral School of Energy and Geotechnology: 4th International Symposium "Topical Problems in the Field of Electrical and Power Engineering", Kuressaare, Estonia, 15.-.20.01.2007. (Toim.) Lahtmets, R.. Tallinn: Tallinn University of Technology, Faculty of Power Engineering, 2007, 96 - 103.
- [40] Valgma, I.; Kattel, T. (2005). Low depth mining in Estonian oil shale deposit-Abbau von Ölschiefer in Estland. In: Kolloquium Schacht, Strecke und Tunnel 2005 : 14. und 15. April 2005, Freiberg/Sachsen: Kolloquium Schacht, Strecke und Tunnel 2005 : 14. und 15. April 2005, Freiberg/Sachsen. Freiberg: TU Bergakademie, 2005, 213 - 223.
- [41] Valgma, I.; Kattel, T. (2006). Results of shallow mining in Estonia. In: EU legislation as it affects mining : proceedings of TAIEX Workshop in Tallinn: INFRA 22944 TAIEX Workshop, Tallinn, 30.11.-02.12.2006. (Toim.) Buhrow, Chr.; Valgma, I.. Tallinn: TallinnaTehnikaülikool, 2006, 118 - 125.
- [42] Valgma, I.; Leiaru, M.; Karu, V.; Iskül, R. (2012). Sustainable mining conditions in Estonia. 11th International Symposium "Topical Problems in the Field of Electrical and Power Engineering", Doctoral Scholl of Energy and Geotechnology, Pärnu, Estonia, 16-21.01.2012 (229 - 238). Tallinn: Elektriajam
- [43] Valgma, I.; Tammeoja, T.; Anepaio, A.; Karu, V.; Västriik, A. (2008). Underground mining challenges for Estonian oil shale deposit. Buhrow, Chr.; Zuchowski, J.; Haack, A. (Toim.). Schacht, Strecke und Tunnel (161 - 172). Freiberg : TU Bergakademie
- [44] Valgma, I.; Västriik, A.; Karu, V.; Anepaio, A.; Väizene, V.; Adamson, A. (2008). Future of oil shale mining technology. *Oil Shale*, 25(2S), 125 - 134.
- [45] Valgma, I.; Västriik, A.; Köpp, V. (2010). Sustainable mining technologies for Estonian minerals industry. Lahtmets, R (Toim.). 9th International Symposium Pärnu 2010 "Topical Problems in the Field of Electrical and Power Engineering" and "Doctoral School of Energy and Geotechnology II", Pärnu, Estonia, June 14 - 19, 2010 (69 - 73). Tallinn: Estonian Society of Moritz Hermann Jacobi
- [46] Väli, E. Best Available Technology for the Environmentally Friendly Mining with Surface Miner. Phd theses. Department of Mining, TUT, Tallinn 2010
- [47] Väli, E.; Valgma, I.; Reinsalu, E. (2008). Usage of Estonian oil shale. *Oil Shale*, 25(2S), 101 - 114.
- [48] Watson, J. H. P., Beharrell, P. A. Extracting values from mine dumps and tailings. Source: MINERALS ENGINEERING Volume: 19 Issue: 15 Pages: 1580-1587 Published: DEC 2006
- [49] Website of the mining related studies, Department of Mining of TUT 2011: <http://mi.ttu.ee/projects/>